



IN THE UNITED SOME PATENT AND TRADEMARK OFFICE

Application No.

10/736,907

Applicant

Dietfried Burczyk et al.

Filed

Dec. 17, 2003

Title

Dynamic pressure transmitter

Docket No.

BURC3002/FJD

Customer No.

23364

PETITION TO REVIVE ABANDONED APPLICATION **UNDER 37 C.F.R. § 1.137 (b)**

MAIL STOP PETITION

Commissioner for Patents P.O. Box 1450 Alexandria, VA. 22202-3514

Sir:

The Commissioner is hereby petitioned to accept a Response to a Notice of Missing Parts in the above-identified application.

The petition fee under 37 C.F.R. 1.17(m) in the amount of \$1500.00, is submitted herewith.

The above-identified application became abandoned for failure to respond to the Notice of Missing Parts, which was mailed by the Patent Office on March 25, 2004 to another law firm. The Change of Correspondence which was filed on March 17, 2004 listed the wrong customer number (23664). Our customer number is 23364. The Notice of Missing Parts was forwarded to a law firm in Texas. As far as we can determine, we were not notified by the law firm of the error nor were the documents forwarded to us.

A phone call was made to the Petitions Office and the information noted above was obtained. The error noted above was unintentional and we now include with this paper the following items:

- 1. the English translation of the specification
- the Executed Declaration and late fee of \$130 2.
- 3. a Preliminary Amendment
- a Response to the Notice of Missing Parts · 4.
 - 5. a check in the amount of \$1630.

The Commissioner is hereby authorized to charge any additional fees or any overpayment for this petition under 37 CFR 1.137(b) to Deposit Account No. 02-0200.

00000007 020200 10736907

750.00 DA

La la Caracter Control Control

Date: June 7, 2007

Respectfully submitted,

Registration No: 25,721

Customer Number 23364 BACON & THOMAS 625 Slaters Lane, Fourth Floor Alexandria, Virginia 22314 Phone: (703) 683-0500

06/08/2007 DEMMAHU1 00000148 10736907

81 FC:1453

1500.00 OP

S:\Producer\fjd\CLIENTS\Endress+Hauser Holding GmbH\BURC3002\Response to NTFMP.wpd